

Kiwa UK Regulation 4 (KUKreg4) Approval (ATS3)

Certificate number 2008716

Date issued 14th August 2020

Date expired 13th August 2025 Original/Amendment *Original*

Description: Range of wall Deck mounted, electronically operated combination tap assemblies (chromium plated brass) incorporating a solenoid valve controlling the flow which is actuated via an infrared sensor. The spout outlets incorporate a plastic aerator. Maximum working pressure 6bar. Maximum operating temperature 65°C.

UK Approval

Issued by Kiwa Watertec

Product Designation: DSaaa.bbb.ccc.d. ee

Where 'aaa' denotes the style type. DS211 - 90° bent spout, DS213 - 55° bent spout.

Where 'bbb' denotes the vertical height of the spout in mm. Range 125mm - 225mm in 25mm increments.

Where 'ccc' denotes the horizontal length (projection) of the spout in mm. Range 125mm – 225mm in 25mm increments.

Where 'd' denotes the material finish. Please see attached approval letter for full range.

Where 'ee' is a numerical code between .00-.99 which denotes the colour of the finished surface. This is only present and applicable on PVD (where 'd' is 3 or 4) or PC (where 'd' is 5) material finish options. Models may include an additional .R suffix which denotes that the tap is supplied without the rosette.

This is to certify that the above range of products manufactured/supplied by

Company name: Dolphin Solutions Ltd.


Has been tested and found to comply with the requirements of the Water Supply (Water Fittings) Regulations 1999 for England and Wales, the Water Byelaws 2014, Scotland and the Water Regulations, Northern Ireland.

This certificate must be read in conjunction with the acceptance letter for this product.

This approval is intended for compliance with the above Regulations and must not be considered equivalent to the product certification provided by Kiwa N.V.

To comply with the Regulations and Byelaws all products require the correct installation. Details of the installation requirements (IRNs) can be obtained from the acceptance letter supplied with this certificate.

Applicable IRNs for this certificate: R001, R006


David Jay, Business Unit Manager – Authorised Signatory – Kiwa Watertec

Certificate issued to:
Dolphin Solutions Limited
Southpoint, Compass Park
Bodiam.
East Sussex
TN32 5BS

CERTIFICATE

3901770301

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
F +44 (0)495 304496
uk.water@kiwa.com
www.kiwa.co.uk

