



You may be worried that you have not specified or purchased all the items you need for your commercial washroom. In this guide, we'll go over all the items you'll need to specify, allowing you to go forward with confidence knowing your washroom product needs are covered.



OVERARCHING THEMES TO CONSIDER

- UWhat standards you need to comply with, E.g. BREEAM, SKA
- □ What additional standards you would like to comply with, E.g. WELL, NABERS
- □ SMART technology in the washroom
- □ Making your washroom touch free
- □ Sustainability of the washroom as a whole
- □ Gendered or non-gendered washrooms
- □ Superloos or traditional
- Accessible, EOT, and baby changing facilities
- \Box Matching finishes in the washroom



TAP

- □ WRAS/KIWA approval
- □ Flow rate/BREEAM
- □ Line purge system (hygiene flush)
- □ Anti-flood feature (security timer)
- □ Power supply
- □ Touch free or manual -
- \Box Finish make sure it matches and sustainability is considered
- □ Fixed temperature or adjustable temperature
- □ Column of water length WELL
- Column of water distance from basin edge
- \Box Column of water relationship with waste
- □ Potential splashing issues
- □ Matching soap dispenser
- □ SMART enabled
- □ Sensor reflections
- □ Tap length comparative to basin
- \Box Counter or wall mounted
- □ Basin or trough
- \Box Column of water length relationship with tap
- □ Potential splashing issues
- □ WELL Standard size of basin

SOAP DISPENSER

- □ Mounting type / fixing position
- Distance between tap and soap dispenser, especially in regard to wall mounted on small vanities to avoid false activation
- Behind Mirror options for fixed mirrors/panels, or hinged mirrors/panels
- □ StrataPlate mounting for tightly fitting wall mounted applications
- Counter-mounted top-fillable or multi-feed
- \square Soap dispenser lengths for wall mounted options to suit the basin length
- □ Sensor not over reflective click clack waste
- Liquid soap / foam soap / anti-bacterial / alcohol sanitiser



- □ Manual vs Touch Free
- □ Finishes
- □ Matching tap
- \Box Power options transformer or batteries
- □ Compliance with WELL standard
- □ Bulk Fill or Cartridge dispenser
- □ Multi-feed or individual refill
- □ Multi-feed cartridge or bulk-fill
- □ Soap level indicator in behind mirror
- Lockable
- Bracket to hold proprietary soap bottles
- □ Sustainability / SMART enabled
- ☐ Maximum distance from soap reservoir to dispenser
- □ Sensor reflections
- ☐ Maintenance access requirements for soap fill system
- □ WELL compliant
- Distance between dispensers to avoid further false activations

PAPER TOWEL

□ Capacity

- □ Surface mounted/behind fixed mirror/behind hinged mirror/wall recessed/vanity recessed
- □ What space is available if you choose to go for recessed, under counter, or behind mirror
- □ Finish
- □ Lockable
- \Box Touch free options
- □ Refilling method
- \Box Reviewing bin capacity at the same time to make sure it is sufficient

HAND DRYER

- \square Power consumption
- 🗆 Finish
- □ Drying time
- □ Noise level dB
- SKA compliance
- □ HEPA filter (WELL standard)
- □ Mounting type
- 🗆 Hands in, downdraft, mini
- □ Anti-ligature
- \Box IP rating needed for location
- □ Wall panel or wipeable wall below dryer
- □ Ventilation in cavity for recessed dryers
- □ Mounting position not above bin/radiator



BIN AND SANITARY BIN

Capacity relative to use and space available

🗆 Finish

- □ Mounting type
- □ Inner liner basket/bag
- □ Lockable
- □ Bin flap or open
- □ Recessed
- □ Placing in regard to the hand dryer
- □ Sustainability of material
- \Box Bin chute or flap in counter
- □ Rubber feet to protect floor
- Check for vanity flap
- Check service provider arrangements



ROBE HOOKS OR BAG SHELVES

- □ Fixing arrangements
- □ Finishes
- □ Including door stop

DOOR STOPS

- □ Wall mounted / Floor mounted
- □ Finishes

MIRROR

□ Full length/half length

□ Framed

 \Box Mirror box or back to wall

□ Hinged or fixed

□ Halo or through mirror lighting

De-misting feature

DOOR HANDLES

Doorless entry

□ Finishes

CUBICLE PARTITIONS, DOORS, AND LOCKS

- □ Access in emergency
- □ Full height
- □ Locks

TOILET PANS AND CISTERNS

- □ Wall hung/back to wall/ close coupled
- □ Seat/lid
- □ DoP and DoC
- □ WRAS approval
- □ Touch free or pneumatic manual
- Compatibility of pan and cistern
- □ Ambulant compliant
- \Box Accessible WC compliant

FLUSH PLATES

- Electronic or manual
- \Box Touch free wave
- □ Proximity sensor
- 🗆 Finish
- □ Flush volumes

- \Box Concealed or close coupled
- Electronic or pneumatic manual
- □ Flush volume
- □ Dop and DoC compliance
- □ WRAS /KIWA approval
- □ Single or dual flush
- \Box Access for servicing

URINALS

- □ Flush Volumes
- □ Infrared flush
- □ Waste traps
- 🗆 Finish



WASTE TRAPS AND SPLASHBACK

- □ Access panel
- □ Solid surface, stone, tile, back-painted glass, mirror
- □ Integrated with trough
- \Box Rounded corner with vanity for ease of maintenance
- □ Access for wall mounted taps

TOILET BRUSH SETS AND TOILET ROLL HOLDERS

🗆 Finish

- \Box Wall mounted or floor standing
- Removable inner liner
- □ Replaceable brush head
- □ Capacity check that there's enough toilet roll for amount of washroom traffic
- □ Lockable to avoid vandalism
- \square Recessed to save space
- □ Type of toilet roll/tissue Jumbo, mini jumbo, standard, bulk pack tissue, coreless
- \Box Suitable for accessible WC's

SPARE TOILET ROLL HOLDERS

□ Finish □ Capacity





COMBINATION UNITS

- □ Making use of unlettable space e.g. under the vanity or in wall cavity
- □ Matching finishes
- □ Lockable
- □ Interference with piping or wiring in the wall recess
- \Box Power source for hand dryers
- □ Ventilation in cavity for hand dryers
- Hand Dryer WELL Compliance HEPA Filter
- □ Wall recess depth
- Paper towel and bin capacity suited to application

SHOWERS

- □ Shower mounting type concealed or surface mounted
- □ Shower head wall or ceiling mounted
- Two-way diverter with hand held or just overhead shower
- □ Finishes
- □ Power option
- Compliance with BREAMM, WELL, LEED, WRAS

BABY CHANGE UNITS

- Mounting type
 Fixing position
 Finishes
 Sustainability
 Safety strap
- □ Fixing points in the wall



GRAB RAILS FOR AMBULANT DISABLED





- □ Length
- \square Rose less or flanged
- □ Signage
- 🗆 finish

OTHER ASPECTS TO CONSIDER

□ Wall cavity space for recessed items

- Using mirror units
- \square Power consumption

□ Long term sustainability

□ Accessible washrooms (Doc M)



Dolphin Solutions Ltd Southpoint, Compass Park, Bodiam, Robertsbridge, TN32 5BS

Tel: +44 (0) | 424 20 22 24 Fax: +44 (0) | 424 205 200 info@dolphinsolutions.co.uk www.dolphinsolutions.co.uk