



This certifies that

DOLPHIN SOLUTIONS LTD

has had the undermentioned product examined, tested and found, when correctly installed, to comply with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations and Scottish Water Byelaws.

**DB3100.X(.XX), DB3101.X(.XX), DB3200.X(.XX) & DB3201.X(.XX)
THERMOSTATIC BLENDING VALVES**

The certificate by itself is not evidence of a valid WRAS Approval. Confirmation of the current status of an approval must be obtained from the WRAS Directory (www.wras.co.uk/directory)

The product so mentioned will be valid until the end of:

November 2024

1911347

Certificate No.

A handwritten signature in black ink, appearing to read 'J Funnell', written in a cursive style.

Secretary

A handwritten signature in black ink, consisting of several vertical strokes followed by a horizontal line, written in a cursive style.

Chairman, Product Assessment Group



This certifies that

DOLPHIN SOLUTIONS LTD

has had the undermentioned product examined, tested and found, when correctly installed, to comply with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations and Scottish Water Byelaws.

DOLPHIN BLUE DB3001.X(.XX) & DB3002.X(.XX) SHOWER HEADS

The certificate by itself is not evidence of a valid WRAS Approval. Confirmation of the current status of an approval must be obtained from the WRAS Directory (www.wras.co.uk/directory)

The product so mentioned will be valid until the end of:

March 2025

2003342

Certificate No.

A handwritten signature in black ink that reads 'J Funnival'.

Secretary

A handwritten signature in black ink, consisting of several vertical strokes followed by a horizontal line.

Chairman, Product Assessment Group



This certifies that

DOLPHIN SOLUTIONS LTD

has had the undermentioned product examined, tested and found, when correctly installed, to comply with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations and Scottish Water Byelaws.

**"DB3060.200.X(.XX)
DB3060.250.X(.XX)
DB3060.300.X(.XX) DB3061.300.X(.XX)
DB3061.350.X(.XX)
DB3061.400.X(.XX)
DB3061.450.X(.XX)
DB3062.300.X(.XX)
DB3062.350.X(.XX)
DB3062.400.X(.XX)&
DB3062.450.X(.XX) SHOWER ARMS "**

The certificate by itself is not evidence of a valid WRAS Approval. Confirmation of the current status of an approval must be obtained from the WRAS Directory (www.wras.co.uk/directory)

The product so mentioned will be valid until the end of:

March 2025

2003371

Certificate No.

A handwritten signature in black ink, appearing to read 'J Funnell', written over a horizontal line.

Secretary

A handwritten signature in black ink, consisting of several vertical strokes followed by a horizontal line, written over a horizontal line.

Chairman, Product Assessment Group

Dolphin Solutions Ltd Approvals

WRAS Approval Number: 2003371

Approved Product

Range of ceiling or wall mounted shower arms having brass bodies in various finishes. Open outlet use only.
Maximum operating temperature 65°C

- **Section:** 0681 Combination Tap Assemblies (?section=0681)
- **Section Subtitle:** Miscellaneous.
- **WRAS Approval Number:** 2003371
- **Expiry date:** 31/03/2025
- **Size:** ½" BSP (M)
- **Marking:** Dolphin logo on body.
- **Installation Requirements** R001 (/approvals/testing-requirements/installation_requirements/irn_r001)R040 (/approvals/testing-requirements/installation_requirements/irn_r040)

- **Model**

Ceiling mounted range

DB3060.200.x(.xx)

DB3060.250.x(.xx)

DB3060.300.x(.xx)

Wall mounted range

DB3061.300.x(.xx)

DB3061.350.x(.xx)

DB3061.400.x(.xx)

DB3061.450.x(.xx)

DB3062.300.x(.xx)

DB3062.350.x(.xx)

DB3062.400.x(.xx)

DB3062.450.x(.xx)

Where x denotes finish and can be replaced by:

.1 - .5 to denote the finish:

.1 to denote brushed/satin polished,

.2 to denote mirror polished,

.3 to denote brushed/satin polished with PVD coating,

.4 to denote mirror polished with PVD coating

.5 to denote powder coated.

.6 - .9 to denote other material and finish options that may be available in the future.

And xx can be replaced by:

.3 to .5 are used and they will consist of numbers 00-99 to denote the colour of PVD or powder coat.

- **Factor:** Dolphin Solutions Ltd View All Listings by this Company (?company=18034)

